

B610 Abbeville SC-Wilson

Soil Report

| Symbol | | Map Unit Description | Farmland class | Area (AC) | Available Water Storage (0- 150cm - Weighted Average) | Flooding Frequency (Maximum) | Drainage Class (Dominant Condition) | Drainage Class (Wettest Component) | Hydric Classification | Water Table Depth (Annual Minimum) | Water Table Depth (April to June Minimum) | Bedrock Depth (Minimum) | Soil Order |
|--------|------|---|--|--------------|--|------------------------------------|---|---------------------------------------|--------------------------|---------------------------------------|--|-------------------------------|---------------|
| | PaF | Pacolet sandy loam, 15 to 40 percent slopes | Not prime farmland | 0 | 18.9 | None | Well drained | Well drained | 0 | 0 | 0 | 0 | Ultisols |
| | CcB | Cecil sandy loam, 2 to 6 percent slopes | All areas are prime farmland | 0 | 17.6 | None | Well drained | Well drained | 0 | 0 | 0 | 0 | Ultisols |
| | CcC | Cecil sandy loam, 6 to 10 percent slopes | Farmland of statewide importance | 0 | 17.6 | None | Well drained | Well drained | 0 | 0 | 0 | 0 | Ultisols |
| | PcE3 | Pacolet clay loam, 10 to 25 percent slopes, eroded | Not prime farmland | 0 | 19.5 | None | Well drained | Well drained | 0 | 0 | 0 | 0 | Ultisols |
| | CeC2 | Cecil sandy clay loam, 6 to 10 percent slopes, eroded | Not prime farmland | 0 | 21.0 | None | Well drained | Well drained | 0 | 0 | 0 | 0 | Ultisols |