

B661 C-
Brunswick
County, NC-
Bay Branch
89 +/- acres
Ash
Exum Rd NW, Ash,
NC, USA
89.0 Acres
\$264,775.00



B661 C-Brunswick County, NC-Bay Branch 89 +/- acres

Soil Report

| Symbol | Map Unit Description | Farmland class | Area (AC) | Available Water Storage (0-150cm - Weighted Average) | Flooding Frequency (Maximum) | Drainage Class (Dominant Condition) | Drainage Class (Wettest Component) | Hydric Classification | Water Table Depth (Annual Minimum) | Water Table Depth (April to June Minimum) | Bedrock Depth (Minimum) | Soil Order |
|--------|----------------------------|----------------------------------|-----------|--|------------------------------|-------------------------------------|------------------------------------|-----------------------|------------------------------------|---|-------------------------|------------|
| Pn | Pantego mucky loam | Prime farmland if drained | 0 | 29.1 | None | Very poorly drained | Very poorly drained | 90 | 0 | 81 | 0 | Ultisols |
| Gt | Gritton fine sandy loam | Prime farmland if drained | 0 | 20.7 | None | Poorly drained | Poorly drained | 90 | 0 | 15 | 0 | Alfisols |
| Fo | Foreston loamy fine sand | Farmland of statewide importance | 0 | 15.3 | None | Moderately well drained | Moderately well drained | 5 | 61 | 91 | 0 | Ultisols |
| Wo | Woodington fine sandy loam | Prime farmland if drained | 0 | 19.5 | None | Poorly drained | Poorly drained | 90 | 15 | 81 | 0 | Ultisols |
| Ra | Rains fine sandy loam | Prime farmland if drained | 0 | 23.6 | None | Poorly drained | Poorly drained | 90 | 15 | 46 | 0 | Ultisols |